

LOTTO 1 - PRODOTTI CHIMICI

ID	CAS number	Descrizione prodotto	Unità di misura (UM)	Quantità stimata biennio
1	14073-97-3	(-)-Menthone 90%	gr	50
2	154-23-4	(+)-Catechin	mg	20
3	94-07-5	(+/-)-Synephrine ≥98%	gr	10
4	53188-07-1	(±)-6-Hydroxy-2,5,7,8-tetramethylchromane-2-carboxylic acid 97%	gr	2
5	106-23-0	(±)-Citronellal ≥95.0% (GC)	ml	200
6	56392-17-7	(±)-Metoprolol (+)-tartrate salt, analytical standard	mg	200
7	74341-63-2	(±)-α-Amino-3-hydroxy-5-methylisoxazole-4-propionic acid hydrate, solid	mg	2
8	128446-35-5	(2-Hydroxypropyl)-β-cyclodextrin average Mw ~1,460	gr	200
9	1066-51-9	(Aminomethyl)phosphonic acid	mg	200
10	5989-27-5	(R)-(+)-Limonene	ml	1.000
11	7689-03-4	(S)-(+)-Camptothecin≥90% (HPLC), powder	mg	200
12	51146-56-6	(S)-(+)- Ibuprofen reagent plus ® 99%	gr	2
13	86-88-4	1-(1-Naphthyl)-2-thiourea	gr	500
14	5344-82-1	1-(2-Chlorophenyl)-2-thiourea ≥98%	gr	10
15	492-73-9	1-(2-Pyridil)-2-thiourea, 99%	gr	10
16	109-57-9	1-Allyl-2-thiourea, 98%	gr	100
17	27469-60-9	1-Bis(4-fluorophenyl)methyl piperazine 97%	gr	10
18	112-82-3	1-Bromohexadecane 97%	gr	200
19	112-71-0	1-Bromotetradecane 97%	ml	10
20	71-36-3	1-Butanol	ml	1.000
21	1516-32-1	1-butyl-2-thiourea, 97%	gr	2
22	22767-50-6	1-Heptanesulfonic acid sodium salt (max 2% ≥99%)	gr	200
23	111-31-9	1-Hexanethiol 95%	ml	10
24	66-77-3	1-Naphthaldehyde 95%	gr	4
25	90-15-3	1-Naphthol 99+%	gr	200
26	86-84-0	1-Naphthyl isocyanat 98%	ml	10
27	111-87-5	1-Octanol anhydrous ≥99%	L	2
28	107-03-9	1-Propanethiol 99%	ml	200
29	71-23-8	1-Propanol ACS reagent, ≥99.5%	L	5
30	71-23-8	1-Propanol for HPLC ≥99.9%	L	5
31	32222-06-3	1 α 25-Dihydroxyvitamin D3 ≥99% (HPLC)	mcg	20
32	1115-70-4	1,1-Dimethylbiguanide hydrochloride	gr	10
33	920-66-1	1,1,1,3,3,3-Hexafluoro-2-propanol ≥99%	gr	70
34	470-67-7	1,4-Cineole technical, mixture of isomers ≥85% (GC)	ml	100
35	140-22-7	1,5-Diphenylcarbazine ≥98.0%, for metal titration	gr	20
36	81-84-5	1,8 Naphthalic anhydride	gr	200
37	646-25-3	1,10-Diaminodcane 97%	gr	50
38	5144-89-8	1,10-Phenanthroline monohydrate ≥99.0%	gr	50
39	3344-70-5	1,12-Dibromododecane 98%	gr	50
40	929-06-6	2-(2-Aminoethoxy)ethanol 98%	gr	200
41	5197-62-6	2-[2-(2-Chloroethoxy)ethoxy]ethanol	gr	20
42	524-95-8	2-Aminoethyl diphenylborinate 98% - 25 gr	gr	50
43	151-67-7	2-Bromo-2-chloro-1,1,1-trifluoroethane ≥99%	ml	500
44	2227-64-7	2-Bromo-3'-nitroacetophenone 97%	gr	100
45	103962-10-3	2-Bromo-4'-(trifluoromethoxy)acetophenone 97%	gr	2
46	536-38-9	2-Bromo-4'-chloroacetophenone 98%	gr	50
47	619-41-0	2-Bromo-4'-methylacetophenone, 90%	gr	50
48	99-81-0	2-Bromo-4'-nitroacetophenone 95%	gr	100
49	70-11-1	2-Bromoacetophenone 98%	gr	200
50	95-57-8	2-Chlorophenol ≥99%	gr	10
51	154-17-6	2-Deoxy-D-Glucose, ≥99% (GC), crystalline	mg	500
52	55959-84-7	2-Hydrazino-2-imidazoline hydrobromide 98%	gr	10
53	552-41-0	2'-Hydroxy-4'-methoxyacetophenone 99%	gr	60
54	163105-90-6	2-Methoxy-3-pyridinylboronic acid ≥95.0%	gr	10
55	78-83-1	2-Methyl-1-propanol	L	2
56	66-99-9	2-Naphthaldehyde 98%	gr	10
57	135-19-3	2-Naphthol 98%	kg	2
58	552-89-6	2-Nitrobenzaldehyde	gr	200
59	88-75-5	2-Nitrophenol 98%	gr	10
60	66170-10-3	2-Phospho-L-ascorbic acid trisodium salt, ≥95.0% (HPLC)	gr	20
61	1121-60-4	2-Pyridinecarboxaldehyde 99%	gr	50
62	67-63-1	2-Propanol for HPLC, 99.9%	L	30
63	67-63-0	2-Propanol puriss. ≥99.8% ACS reagent	L	20
64	2997-92-4	2,2'-Azobis(2-methylpropionamide) dihydrochloride, 97%	gr	50
65	2033-24-1	2,2-Dimethyl-1,3-dioxane-4,6-dione 98%	gr	50
66	1898-66-4	2,2-Diphenyl-1-picrylhydrazyl	gr	4
67	2103-57-3	2,3,4-Trimethoxybenzaldehyde, 99%	gr	40
68	156-81-0	2,4-Diaminopyrimidine, 98%	gr	40
69	120-83-2	2,4-Dichlorophenol PESTANAL®, analytical standard	gr	2
70	1996-44-7	2,4-Difluorothiophenol 97%	gr	10
71	105-67-9	2,4-Dimethylphenol	ml	50
72	51-28-5	2,4-Dinitrophenil moistened with water, moistened with water, ≥98.0%	gr	10
73	93-02-7	2,5-Dimethoxybenzaldehyde	gr	50
74	620-45-1	2,6-Dichloroindophenol sodium salt hydrate	gr	10
75	101-38-2	2,6-Dichloroquinone-4-chloroimide	gr	20
76	99-30-9	2,6-Dichloro-4-nitroaniline 96%	gr	200
77	76-54-0	2',7'-Dichlorofluorescein ACS reagent	gr	20
78	4091-99-0	2',7'-Dichlorofluorescin diacetate ≥97%	mg	200
79	2107-70-2	3-(3,4-Dimethoxyphenyl)propionic acid 99%	gr	20
80	17481-19-5	3-Chloro-1-propanethiol, 98%	gr	10
81	541-31-1	3-Methyl-1-Butanethiol 97%	gr	10
82	39515-51-0	3-Phenoxybenzaldehyde 98%	gr	10
83	500-22-1	3-Pyridinecarbaldehyde 98%	gr	50
84	55-06-1	3,3',5'-Triiodo-L-thyronine sodium salt for cell colture	mg	800
85	14496-24-3	3,4-Bis(hydroxymethyl)furan 98%	gr	2
86	6287-38-3	3,4-Dichlorobenzaldehyde 95%	gr	50
87	59-92-7	3,4-Dihydroxy-L-phenylalanine ≥98% (TLC)	gr	10
88	40173-90-8	3,4 Dimethoxyphenethyl Bromide 97%	gr	2
89	41100-52-1	3,5-Dimethyl-1-adamantanamine hydrochloride	gr	10
90	141-30-0	3,6-Dichloropyridazine 98 %	gr	50
91	1122-58-3	4-(Dimethylamino)pyridine ReagentPlus® ≥99%	gr	10
92	1122-58-3	4-(Dimethylamino)pyridine, ≥98.0% (NT)	gr	40
93	1122-54-9	4-Acetylpyridine 97%	gr	20
94	50541-93-0	4-Amino-1-benzylpiperidine 98%	gr	10
95	38771-21-0	4-Bromo1-butyne 97%	gr	10
96	622-88-8	4-Bromophenylhydrazine hydrochloride 99	gr	20
97	393-75-9	4-Chloro-3,5-dinitrobenzotrifluoride 98%	gr	10
98	2863-98-1	4-Cyanophenylhydrazine hydrochloride, 97%	gr	10
99	459-57-4	4-Fluorobenzaldehyde 98%	gr	100
100	459-46-1	4-Fluorobenzyl bromide 97%	gr	10
101	123-08-0	4-Hydroxybenzaldehyde 98%	gr	100
102	540-37-4	4-Iodoaniline 98%	gr	50
103	150-76-5	4-Methoxyphenol ReagentPlus® 99%	gr	200
104	100-01-6	4-Nitroaniline ≥99%	gr	10
105	555-16-8	4-Nitrobenzaldehyde ≥99.0%	gr	100
106	100-02-7	4-Nitrophenol PESTANAL® analytical standard	gr	2
107	3459-18-5	4-Nitrophenyl N-acetyl-β-D-glucosaminide ≥99%	mg	1.000
108	4195-17-9	4-Nitrophenyl-trimethylacetate 98%	gr	50
109	872-85-5	4-Pyridinecarboxaldehyde 97%	gr	50
110	18880-00-7	4-tert-Butylbenzyl bromide 97%	gr	10
111	943-27-1	4-tert-Butylacetophenone 97%	gr	10
112	86-98-6	4,7 -Dichloroquinoline ≥99%	gr	50
113	7240-90-6	5-Bromo-4-chloro-3-indolyl β-D-galactopyranoside (X-Gal) ≥98%, powder	gr	2
114	4595-59-9	5-Bromopyrimidine 98%	gr	50
115	69-78-3	5,5'-Dithio-bis-(2-nitrobenzoic Acid) ≥98%	gr	10
116	487-06-9	5,7-Dimethoxycoumarin	gr	2
117	1633-78-9	6-Mercapto-1-hexanol 97%	ml	10
118	271-63-6	7-Azaindole 98%	gr	20
119	4649-09-6	7-Azaindole-3-carboxaldehyde 97%	gr	2
120	642-31-9	9-Anthracenecarboxaldehyde 97%	gr	50
121	1468-95-7	9-Anthracenemethanol 97%	gr	10
122	403811-55-2	10058-F4 ≥98% (HPLC)	mg	10
123	26853-31-6	16:0-18:1 PC	mg	400
124	26662-84-2	16:0-18:1 PE	mg	400
125	471-53-4	18 β-Glycyrrhetic Acid 97%	gr	20
126	169332-61-0	Ac-DEVD-AMC ≥97%	mg	2
127	75-07-0	Acetaldehyde ACS reagent, ≥99.5%	ml	200
128	103-84-4	Acetanilide, 99%	gr	1.000
129	64-19-7	Acetic acid puriss. ≥99.8% ACS reagent	L	160
130	108-24-7	Acetic anhydride ACS reagent, ≥98.0%	kg	2
131	123-54-6	Acetil acetone 99.0%, AnalaR NORMAPUR® per analisi	ml	500
132	102-01-2	Acetoacetanilide ≥99.5%	gr	1.000
133	67-64-1	Acetone for HPLC, ≥99.8%	L	20
134	67-64-1	Acetone puriss. ≥99.5% ACS reagent	L	2.000
135	67-64-1	Acetone puriss. meets analytical specification of Ph. Eur., BP, NF, ≥99%	L	300
136	75-05-8	Acetonitrile hypergrade for LC-MS LiChrosolv®	L	20
137	75-05-8	Acetonitrile for HPLC gradient grade ≥99.9%	L	180
138	102029-73-2	Acetyl Coenzyme A ≥93% (HPLC), powder	mg	100
139	50-78-2	Acetylsalicylic acid ≥99%	gr	1.000
140	1866-15-5	Acetylthiocholine iodide ≥99.0% (AT)	gr	10
141	7726-95-6	Acqua di bromo-Soluz. Ph. Eur. Cap. 4.4.1 Ref. 101240-RS-	ml	1.400
142	7440-44-0	Activated carbon DARCO® -100 mesh particle size powder	gr	500
143	20398-34-9	Adenosine 5 Diphosphate sodium salt, bacterial, ≥95% (HPLC)	mg	200
144	12279-41-3	Adrenocorticotrophic hormone human, ≥97% (HPLC)	mg	10
145	9002-18-0	Agar for cell culture	kg	10
146	9012-36-6	Agarose for molecular biology	kg	6
147	9012-36-6	Agarose High resolution for molecular biology	gr	50
148	328-50-7	A-Ketoglutaric acid 99.0-101.0 % T	gr	200
149	15972-60-8	Alachlor 2-Chloro-2',6'-diethyl-N-(methoxymethyl)acetanilide	mg	500
150	1015856-63-9	Alachlor-d13	mg	20
151	90604-29-8	Albumin fraction V (bovine serum)	gr	50
152	70024-90-7	Albumin from human serum lyophilized powder, fatty acid free, Globulin free	gr	2
153	70024-90-7	Albumin from human serum, lyophilized powder, essentially fatty acid free,	mg	1.000
154	9048-46-8	Albumin, Acetylated from bovine serum, AC-BSA	ml	10
155	100-51-6	Alcole benzilico ≥98%, GPR RECTAPUR®	L	2
156	75-85-4	Alcole ter-amilico-RPE-Per analisi	ml	500
157	100-52-7	Aldeide benzoica-RPE	ml	1.000
158	130-22-3	Alizarin Red S	gr	50
159	481-72-1	Aloe-Emodina analytical standard	mg	20
160	1415-73-2	Aloin A, phyproof® Reference Substance	mg	20
161	7446-70-0	Aluminum chloride Reagent plus 99%	gr	200
162	10043-01-3	Aluminum sulfate	gr	50

LOTTO 1 - PRODOTTI CHIMICI

ID	CAS number	Descrizione prodotto	Unità di misura (UM)	Quantità stimata biennio
163	39389-20-3	Amberlite IR-120, H(+)-form, strongly acidic, hydrogen form	kg	4
164	52439-77-7	Amberlite® IRA402 chloride form	kg	4
165	60-32-2	Aminocaproic acid (ACA, ≥99% (titration) powder	gr	50
166	549-18-8	Amitriptyline hydrochloride ≥98% (TLC), powder	gr	200
167	13573-16-5	Ammonium reineckate-RPE	gr	50
168	7783-20-2	Ammonium sulfate for analysis EMSURE® ACS	kg	2
169	1762-95-4	Ammonium solfocianuro 1 mol/l (1N)-RPE-Per analisi	ml	3.000
170	631-61-8	Ammonium acetate ≥99.99%	gr	20
171	631-61-8	Ammonium acetate for molecular biology, ≥98%	gr	1.000
172	1066-33-7	Ammonium bicarbonate ReagentPlus® ≥99.0%	gr	100
173	12125-02-9	Ammonium chloride ACS reagent, ≥99.5%	kg	2
174	1336-21-6	Ammonium hydroxide solution ACS reagent 28.0-30.0% NH3 basis	L	30
175	12054-85-2	Ammonium molybdate tetrahydrate BioUltra, ≥99.0% (T)	gr	200
176	61336-70-7	Amoxicillin trihydrate	mg	500
177	1397-89-3	Amphotericin B from Streptomyces sp. ~80% (HPLC), powder	mg	200
178	69-52-3	Ampicillin sodium salt	gr	100
179	69-52-3	Ampicillin sodium salt, BioXtra, suitable for cell culture	gr	10
180	69-53-4	Ampicillin anhydrous, 96.0-102.0% (anhydrous basis)	gr	10
181	9032-08-0	Amyloglucosidase LYO. SQ	U	1.000
182	107761-42-2	Amyloid B-Protein fragment 1-42	mg	2
183	63-05-8	Androstendio VETRANAL™, analytical standard	mg	500
184	90-44-8	Anthrone ACS reagent, 97%	gr	50
185	120-12-7	Antracene ReagentPlus®, 99%	gr	50
186	9087-70-1	Aprotinin from bovine lung, lyophilized, ~80% (HPCE)	mg	30
187	506-32-1	Arachidonic Acid	mg	200
188	9029-44-1	Ascorbate oxydase	U	200
189	1912-24-9	Atrazine	mg	500
190	163165-75-1	Atrazine-d5	mg	20
191	91053-39-3	AW standard super-cel® NF	kg	2
192	27548-93-2	Baccatin III ≥95%	mg	10
193	88899-55-2	Bafilomycin A1 from Streptomyces griseus ≥90% (HPLC)	mcg	20
194	10326-27-9	Barium chloride dihydrate ACS ISO ≥99%	gr	3.000
195	161804-20-2	Benzamil hydrochloride hydrate (anhydrous) ≥98% (HPLC)	mg	20
196	9025-65-4	Benzonase® Nuclease	U	10.000
197	3541-37-5	Benzo[b]thiophene-2-carboxaldehyde 97%	gr	10
198	120-51-4	Benzyl enzoate for synthesis	L	2
199	3173-56-6	Benzyl isocyanate 99%	gr	10
200	633-65-8	Berberine chloride	gr	50
201	7380-40-7	Bergamottin analytical standard	mg	20
202	65391-42-6	Bestatin hydrochloride ≥98% (HPLC)	mg	2
203	58-85-5	Biotin power Bioreagent	mg	200
204	1204-60-0	Biphenyl-3-carboxaldehyde 96%	ml	2
205	19999-87-2	Bis(Tricyclohexylphosphine)Nickel(II) dichloride 97%	gr	4
206	13965-03-2	Bis(triphenylphosphine)palladium(II) dichloride	gr	2
207	23491-45-4	BisBenzimide H 33258 ≥98%	mg	200
208	875756-87-1	BisBenzimide H 33342 trihydrochloride ≥98%	mg	50
209	66722-44-9	Bisoprolol, analytical standard	mg	50
210	80-05-7	Bisphenol A ≥99%	gr	100
211	6976-37-0	BIS-TRIS ≥98.0%	gr	50
212	122965-43-9	Blu di Methylene powder	gr	50
213	87915-38-6	Blue dextran for gel filtration, BioReagent	val	2
214	10043-35-3	Boric acid puriss. ≥99.8% ACS reagentbuffer substance	kg	2
215	1303-86-2	Boric anhydride puriss. p.a., ≥98% (T)	gr	200
216	10294-33-4	Boron trbromide 1.0 M in methylene chloride	ml	200
217	135-73-9	Bromo-4-Phenylacetophenone technical grade	gr	50
218	598-21-0	Bromoacetyl bromide ≥98%	gr	200
219	9048-46-8	Bovine Serum Albumin lyophilized powder, crystallized, ≥98.0% (GE)	gr	200
220	9048-46-8	Bovine Serum Albumin heat shock fraction, pH 7, ≥98% conf. Sigma-Aldrich	gr	400
221	9048-46-8	Bovine Serum Albumin Fraction V, pH 7.0	gr	100
222	9048-46-8	Bovine Serum Albumin cold ethanol fraction, pH 5.2, ≥96%	gr	200
223	111-36-4	Butyl isocyanate, 98%	ml	10
224	109-73-9	Butylamine, 99.5%	ml	500
225	82436-77-9	BS3 (bis(sulfosuccinimidyl)suberate), No-Weigh™ Format, 10X2 MG	conf	8
226	331-39-5	Caffeic acid	gr	4
227	58-08-2	Caffeine anhydrous, tested according to Ph Eur	gr	500
228	148504-34-1	Calcein-AM	mcg	200
229	10035-04-8	Calcium chloride dihydrate for analysis EMSURE® ACS, Reag. Ph Eur	kg	2
230	10043-52-4	Calcium chloride anhydrous powder Reag. Ph Eur	gr	1.000
231	76-22-2	Camphor, meets analytical specification of Ph. Eur., BP, ≥95% (GC), racem	gr	1.000
232	145040-37-5	Candesartan cilexetil ≥98% (HPLC)	mg	20
233	370-86-5	Carbonyl cyanide 4 - (trifluoromethoxy) Phenylhydrazone	mg	20
234	9005-46-3	Casein sodium salt from bovine milk	gr	1.000
235	9001-05-2	Catalase from bovine liver	gr	2
236	1820673-23-1	Cephalexin hydrate first-generation cephalosporin antibiotic	gr	10
237	56238-63-2	Cefuroxime sodium salt	gr	2
238	68855-54-9	Celite 54	gr	500
239	61790-53-2	Celite S	kg	2
240	331717-45-4	CHAPS hydrate BioXtra, ≥98% (TLC)	gr	4
241	9012-76-4	Chitosan from shrimp shells low-viscosity	gr	200
242	56-75-7	Chloramphenicol, >=98% (HPLC)	gr	50
243	79-04-9	Chloroacetyl chloride purum ≥99.0% (GC)	ml	200
244	67-66-3	Chloroform for HPLC, ≥99.8%, amylene stabilized	L	2
245	67-66-3	Chloroform puriss. 99.0-99.4%	L	90
246	865-49-6	Chloroform-D, 99.8 atom % D	gr	800
247	865-49-6	Chloroform-D, 99.8 atom % D, contains 0.03 % (v/v) TMS	gr	100
248	327-97-9	Chlorogenic acid ≥95%	gr	10
249	2373-51-5	Chloromethyl methyl sulfide 95%	gr	10
250	57-88-5	Cholesterol Sigma Grade, ≥99%	gr	50
251	9026-00-0	Cholesterol esterase from porcine lyophilized, powder, white, ~35 U/mg	mg	20
252	9028-76-6	Cholesterol oxidase from microorganism, lyophilized powder, ≥50 units/mg	U	200
253	67-48-1	Choline chloride ≥98%	gr	1.000
254	9002-61-3	Chorionic Gonadotropin Human, lyophilized powder, vial of ~10,000 IU	vial	2
255	480-40-0	Chrysin, analytical standard	mg	100
256	84166-13-2	Cibacron Blue 3G-A	gr	2
257	85721-33-1	Ciprofloxacin ≥98.0% (HPLC)	gr	10
258	6217-54-5	cis-4,7,10,13,16,19-Docosahexaenoic acid	mg	200
259	10417-94-4	cis-5,8,11,14,17-Eicosapentaenoic acid	mg	200
260	5392-40-5	Citral 95%	ml	200
261	68-04-2	Citric acid trisodium salt anhydrous, ≥98% (GC)	gr	200
262	5949-29-1	Citric acid monohydrate ACS REAGENT	gr	50
263	21898-19-1	Clenbuterol Hydrochloride ≥95%	mg	100
264	5786-21-0	Clozapina	mg	50
265	64-86-8	Colchicine ≥95%	mg	200
266	9007-34-5	Collagen Type I solution from rat	vial	2
267	9001-12-1	Collagenase from Clostridium histolyticum for general use, Type I	gr	2
268	6104-58-1	Comassie Brilliant Blue for microscopy	gr	50
269	10125-13-0	Copper(II) chloride dihydrate ACS reagent, ≥99.0%	gr	200
270	548-62-9	Crystal Violet	gr	100
271	412940-35-3	CTP inhibitor, ≥98% (HPLC)	mg	10
272	458-37-7	Curcumin analytical standard	mg	20
273	511296-88-1	Cyclic pifithrin-α hydrobromide ≥98% (HPLC)	mg	10
274	110-82-7	Cyclohexane for HPLC, ≥99.7%	L	6
275	110-82-7	Cyclohexane puriss ≥99.5% ACS reagent	L	30
276	1569-69-3	Cyclohexanethiol 97%	gr	50
277	3173-53-3	Cyclohexyl isocyanate, 98%	gr	200
278	4747-71-1	Cyclopentyl isocyanate, 97%	gr	2
279	9007-43-6	Cytochrom C from bovine heart	mg	20
280	56-17-7	Cystamine dihydroclorid	gr	50
281	69-74-9	Cytosine β-D-arabinofuranoside hydrochloride	mg	200
282	523-87-5	Dimenhydrinate	gr	60
283	14431-43-7	D-(+)-Glucose monohydrate	kg	10
284	6138-23-4	D-(+)-Trehalose dihydrate ≥98.5% (HPLC)	gr	50
285	6138-23-4	D-(+)-Trehalose dihydrate, from starch, ≥99%	gr	200
286	59-23-4	D-Galattosio, ≥98%	gr	1.000
287	50-99-7	D-(+)-Glucose anhydrous ≥99.5% (sum of enantiomers, HPLC)	kg	8
288	581-57-1	D-Glyceraldehyde 3-phosphate solution 8-13 mg/mL in H2O	ml	2
289	10039-26-6	D-Lactose monohydrate ACS reagent	kg	4
290	69-65-8	D-Mannitol, ACS reagent, for microbiology, ≥99.0%	gr	500
291	57-50-1	D-(+)-Sucrose for microbiology ≥99.0% ACS reagent	kg	2
292	28718-90-3	DAPI for nucleic acid staining	mg	10
293	55486-00-5	Decylubiquinone	mg	200
294	138-14-7	Deferoxamine mesylate salt	mg	200
295	22608-11-3	Demethoxycurcumin, analytical standard	mg	20
296	9003-98-9	Deoxyribonuclease I from bovine pancreas, Type IV, lyophilized powder	KU	30
297	16679-58-6	Desmopressin, European Pharmacopoeia (EP) Reference Standard	mg	2
298	7783-28-0	di-Ammonium hydrogen phosphate ACS reagent	gr	1.000
299	75-09-2	Dichloromethane puriss., ≥99% (GC)	L	20
300	75-09-2	Dichloromethane anhydrous, ≥99.8%, contains 40-150 ppm amylene as sta	L	2
301	75-09-2	Dichloromethane puriss. ≥99.9% ACS reagent	L	1.500
302	60-29-7	Diethyl ether puriss. ≥99.5% meets analytical specification of Ph. Eur. BP	L	120
303	11024-24-1	Digitonin ~50% (TLC)	gr	2
304	11024-24-1	Digitonin, High Purity	mg	500
305	104821-25-2	Dihydroethidium	mg	20
306	35340-49-9	Dihydrofluorescein diacetate 97%	mg	1.000
307	67-68-5	Dimethyl sulfoxide Hybri-Max™, sterile-filtered, BioReagent, suitable for hy	ml	200
308	67-68-5	Dimethyl sulfoxide, for molecular biology	L	2
309	67-68-5	Dimethyl sulfoxide ≥99.9% ACS reagent	L	4
310	2206-27-1	Dimethyl sulfoxide-d6, 99.9 ATOM % D	gr	250
311	119-26-6	Dinitrophenylhydrazine reagent grade 97%	gr	100
312	7758-11-4	di-Potassium hydrogen phosphate anhydrous for analysis EMSURE®	kg	2
313	10028-24-7	di-Sodium hydrogen phosphate dihydrate for analysis EMSURE®	gr	1.000
314	79642-50-5	Disuccinimidyl glutarate ≥97.0%	mg	600
315	24424-99-5	Di-tert-butyl dicarbonate ≥98.0% (GC)	gr	200
316	394208-50-5	DL-Aspartic acid potassium salt hemihydrate ≥98.0% (NT)	gr	600
317	138-86-3	DL-Limonene (mixture of D- and L-form ~1:1) for synthesis	L	2
318	676-46-0	DL-Malic Acid disodium salt ≥95%	gr	50
319	9003-98-9	DNase I, (Deoxyribonuclease I from bovine pancreas)	KU	30
320	302-95-4	DOC (Sodium deoxycholate) ≥97%	gr	20
321	143-07-7	Dodecanoic acid 98%	gr	50
322	24390-14-5	Doxycycline hyclate	mg	200
323	3483-12-3	DTT, ≥98% (HPLC), ≥99.0% (titration)	gr	2
324	524-95-8	Diphenylboric acid-2-aminoethyl ester (2-APB) ≥98%	gr	50

LOTTO 1 - PRODOTTI CHIMICI

ID	CAS number	Descrizione prodotto	Unità di misura (UM)	Quantità stimata biennio
325	66701-25-5	E-64 protease inhibitor	mg	2
326	96702-03-3	ECTOIN* ≥95.0% (HPLC)	gr	20
327	25952-53-8	EDC hydrochloride 99%	gr	200
328	25952-53-8	EDC hydrochloride ≥98.0%	gr	50
329	60-00-4	EDTA ACS reagent,	gr	1.000
330	67-42-5	EGTA for molecular biology, ≥97.0%	gr	40
331	39445-21-1	Elastase from porcine pancreas lyophilized powder, for cell culture	mg	4
332	490-46-0	Epicatechin	gr	2
333	989-51-5	Epigallocatechin gallate ≥95%	mg	100
334	481-30-1	Epitestosterone	ml	2
335	571203-78-6	Erastin	mg	20
336	57-87-4	Ergosterol ≥95.0%	gr	20
337	59319-72-1	Erythromycin A dehydrate	mg	500
338	16423-68-0	Erythrosin B certified by the Biological Stain Commission, Dye content 90 %	gr	50
339	64-17-5	Ethanolabsolute reaq. ISO Reag. Ph. Eur. ≥99.8%	L	300
340	64-17-5	Ethanol absolute for HPLC ≥99.8%	L	40
341	64-17-5	Ethanol for molecular biology ≥99.8%	L	2
342	64-17-5	Ethanol puriss. 96.0-97.2% meets analytical specification of Ph. Eur. BP	L	50
343	94-09-7	Ethyl 4-aminobenzoate, 98%	gr	500
344	141-78-6	Ethyl acetate puriss. ≥99.5% ACS reagent	L	500
345	6381-92-6	Ethylenediaminetetraacetic acid disodium salt dihydrate (EDTA) for electro	kg	4
346	623-47-2	thyl propiolat 99%	gr	10
347	76824-35-6	Famotidine	mg	1.000
348	85-01-8	Fenantrene 98%	gr	50
349	136112-00-0	Fenolo-Cloroformio-Alcol isoamilico, BioUltra, for molecular biology, 25:24:	ml	600
350	347174-05-4	Ferrostatin-1	mg	20
351	86088-83-7	Fibronectin human plasma, BioReagent, suitable for cell culture	mg	8
352	206-44-0	Fluorantene 98%	gr	50
353	86-73-7	Fluorene 98%	gr	10
354	75-12-7	Formamide	L	2
355	64-18-6	Formic acid ACS reagent, ≥96%	L	6
356	64-18-6	Formic acid 98% - 100% for LC-MS LiChropur™	ml	500
357	108964-32-5	Fura 2-AM for fluorescence, ≥95.0% (HPLC)	mg	2
358	108321-42-2	G418 solution	ml	40
359	60142-96-3	Gabapentin, Pharmaceutical Secondary Standar	gr	2
360	149-91-7	Gallic acid	gr	200
361	9000-70-8	Celatin from bovine skin Type B Bio reagent for cell culture	gr	1.000
362	51811-82-6	Giemsa soluz colorante 500ml	ml	1.000
363	111-30-8	Glutaraldehyde solution Grade II, 25% in H2O	ml	200
364	1405-86-3	Glycyrrhizin, phyproof® Reference Substance	mg	40
365	1071-83-6	Glyphosate	mg	1.000
366	287399-31-9	Glyphosate-2-13C	mg	10
367	56-81-5	Glycerol ACS reagent, ≥99.5%	ml	1.000
368	56-81-5	Glycerol for molecular biology, ≥99.0%	ml	1.000
369	56-81-5	Glycerol BioReagent, for cell culture ≥99%	L	6
370	56-81-5	Glycerol Reagent grade ≥99.0%	L	6
371	56-40-6	Glycine for electrophoresis ≥99%	kg	6
372	9005-79-2	Glycogen from Mytilus edulis (Blue mussel) for DNA precipitations	vial	2
373	9001-40-5	Glucose-6-phosphate dehydrogenase from yeast ca. 140 U/mg	mg	2
374	70-18-8	Glutathione Pharmaceutical Secondary Standard, Certified Reference Mat	mg	1.000
375	9001-48-3	Glutathione Reductase from baker's yeast (S. cerevisiae) (100-UN)	U	200
376	16961-25-4	Gold(III) chloride trihydrate ACS reagent, ≥49.0%	gr	2
377	50-01-1	Guanidine hydrochloride for molecular biology, ≥99%	gr	1.000
378	475-25-2	Hemantein for microscopy	gr	20
379	7365-45-9	HEPES ≥99.5%	gr	200
380	51166-71-3	Heptakis(2,6-di-O-methyl)-β-cyclodextrin	gr	2
381	6004-24-6	Hexadecylpyridinium chloride monohydrate	gr	50
382	2615-15-8	Hexaethylene Glycol, 97%	gr	10
383	920-66-1	Hexafluoro-2-propanol 99+%	gr	10
384	100-97-0	Hexamethylenetetramine-Reag. Ph. Eur. >=99.5%	gr	1.000
385	110-54-3	Hexane for HPLC, ≥97.0%	L	70
386	110-54-3	Hexane puriss. ≥99% ACS reagent	L	80
387	140703-51-1	Hexarelin ≥90% (HPLC)	mg	100
388	2525-62-4	Hexyl isocyanate, 98%	ml	10
389	353519-63-8	HLM006474 ≥98% (HPLC)	mg	10
390	37326-33-3	Hyaluronidase from bovine testes, TYPE I-S, 400-1000 units/mg solid	mg	200
391	7647-01-0	Hydrochloric acid 0.1 mol/l (0.1N)-RPE- fiala normex	ampolla	40
392	7647-01-0	Hydrochloric acid puriss. ≥37% ACS reagent	L	60
393	7722-84-1	Hydrogen peroxide 30%	L	10
394	165542-15-4	Hydroxyectoine ≥95% (HPLC)	gr	20
395	68-94-0	Hypoxanthine ≥99.0%	gr	10
396	68-94-0	Hypoxanthine powder, BioReagent, suitable for cell culture	gr	2
397	9002-93-1	IGEPAL® CA-630 for molecular biology	ml	100
398	288-32-4	Imidazole ACS reagent, ≥99%	gr	200
399	113-52-0	Imipramine hydrochloride ≥99% (TLC)	gr	200
400	11061-68-0	Insulin solution Human recombinant	ml	20
401	3240-34-4	Iodobenzene diacetate 98%	gr	10
402	367-93-1	IPT ≥99% (TLC)	gr	2
403	7782-63-0	Iron(II) sulfate heptahydrate ACS reagent, ≥99.0%	gr	500
404	10025-77-1	Iron(III) chloride hexahydrate, ≥99%	gr	1.000
405	79-31-2	Isobutyric acid puriss. ≥99.5%	ml	200
406	503-74-2	Isovaleric acid 99%	ml	200
407	84625-61-6	Itraconazole, European Pharmacopoeia (EP) Reference Standard	mg	40
408	520-18-3	Kaempferol ≥97.0% (HPLC)	mg	50
409	25389-94-0	Kanamycin sulfate from Streptomyces kanamyceticus for cell culture, suit	gr	4
410	56-41-7	L-alanin	gr	2
411	5328-37-0	L-Arabinosio	gr	200
412	1119-34-2	L-Arginine HCl, reagent grade, ≥98%	gr	50
413	1119-34-2	L-Arginine monohydrochloride for cell culture, 98.5-101.0%	gr	50
414	7048-04-6	L-Cysteine hydrochloride monohydrate	gr	200
415	52-90-4	L-Cysteine 97%	gr	50
416	9001-60-9	L-Lactic Dehydrogenase from rabbit muscle; Type XI, lyophilized powder	KU	10
417	9001-60-9	L-Lactic Dehydrogenase from rabbit muscle; Type II	KU	20
418	61-90-5	L-Leucine reagent grade, ≥98% (HPLC)	gr	100
419	2623-23-6	L-Menthyl acetate	gr	400
420	147-85-3	L-Proline	gr	50
421	72-19-5	L-Threonine, reagent grade, ≥98% (HPLC)	gr	20
422	50-21-5	Lactic acid 85%	kg	2
423	63-42-3	Lactose tested according to Ph Eur	kg	2
424	114956-81-9	Laminin from mouse engelbreth-holm-swarm (EHS) sarcoma	mg	2
425	103476-89-7	Leupeptin (hemisulfate)	mg	20
426	147385-61-3	Leupeptin trifluoroacetate salt ≥90% (HPLC), microbial	mg	2
427	58749-22-7	Licochalcone A, ≥96.0% (HPLC)	mg	20
428	6108-05-0	Lidocaine hydrochloride	gr	600
429	822-17-3	Linoleic acid sodium salt ≥98% (GC)	gr	1.000
430	9001-62-1	Lipase Acrylic resin	gr	40
431	9001-62-1	Lipase from Aspergillus niger, ~200 U/q	gr	10
432	546-89-4	Lithium Acetate, 99.95% trace metals basis	gr	200
433	7447-41-8	Lithium chloride for molecular biology, ≥99%	gr	400
434	521-31-3	Luminol 97%	gr	10
435	12650-88-3	Lysozyme from chicken egg white ~100000 U/mg	gr	2
436	12650-88-3	Lysozyme from chicken egg white, protein ≥90 %, ≥40.000 U/mg	gr	10
437	99-04-7	M-Toluic acid ReagentPlus 99 %	gr	10
438	7439-95-4	Magnesium powder for synthesis	gr	1.000
439	16674-78-5	Magnesium acetate tetrahydrate for molecular biology, ≥99%	gr	500
440	16674-78-5	Magnesium acetate tetrahydrate ACS	kg	2
441	29858-07-9	Magnesium bromide diethyl etherate 99%	gr	50
442	7786-30-3	Magnesium chloride anhydrous ≥98%	gr	400
443	7791-18-6	Magnesium chloride hexahydrate BioXtra, ≥99.0%	kg	2
444	7487-88-9	Magnesium sulfate solution, BioUltra, for molecular biology	ml	200
445	7487-88-9	Magnesium sulfate anhydrous ≥99.5%	kg	2
446	10034-99-8	Magnesium sulfate heptahydrate ACS reagent	kg	2
447	14987-04-3	Magnesium trisilicate hydrate	kg	2
448	541-59-3	Malaimide 99%	gr	20
449	110-16-7	Maleic acid, 99%	kg	2
450	9002-48-0	Malt extract for microbiology	gr	1.000
451	13446-34-9	Manganese(II) chloride tetrahydrate, BioUltra, for molecular biology, ≥99.0%	gr	200
452	13446-34-9	Manganese(II) chloride tetrahydrate ACS reagent, ≥98%	gr	200
453	108-78-1	Melamine 99%	gr	10
454	89-48-5	Menthyl acetate 97%	ml	50
455	1600-27-7	Mercury(II) acetate ACS reagent, ≥98.0%	gr	200
456	37267-86-0	Meta-Phosphoric acid ACS reagent	gr	200
457	811-98-3	Methanol-D4 100% 99.96 atom % D	ml	40
458	67-56-1	Methanol for HPLC ≥99.9%	L	260
459	67-56-1	Methanol puriss. ≥99.8% ACS reagent	L	1.000
460	60-56-0	Methimazole	gr	200
461	14205-39-1	Methyl 3-aminocrotonate 97%	gr	1.000
462	99-76-3	Methyl 4-hydroxybenzoate ReagentPlus®, ≥99.0%, crystalline	gr	2.000
463	79-20-9	Methyl acetate	kg	2
464	9004-67-5	Methyl cellulose	gr	200
465	105-34-0	Methyl Cyanoacetate 99%	gr	50
466	493-52-7	Methyl Red	gr	50
467	2206-27-1	Methyl sulfoxide-D6, 99.5+ atom % D	gr	100
468	947601-85-6	Metolachlor ethanesulfonic acid (ESA) sodium salt	mg	20
469	51218-45-2	Metolachlor	mg	200
470	73573-88-3	Mevastatin ≥98%	mg	10
471	9004-34-6	Microcrystalline cellulose, powder, 20 µm	gr	100
472	76421-73-3	Monochlorobimane suitable for fluorescence, ≥70.0% (HPCE)	mg	10
473	1132-61-2	MOPS free acid ≥99.5% (titration)	gr	200
474	84082-64-4	Mucin from porcine stomach Type II	gr	200
475	12650-69-0	Mupirocin pure	gr	10
476	100684-32-0	Myoglobin from horse heart	mg	500
477	17912-87-7	Myricitrin ≥99.0%	mg	2
478	78832-65-2	N-[3-(2-Furyl)acryloyl]-Leu-Gly-Pro-Ala	mg	10
479	954-81-4	N-(5-bromopentyl)phthalimide 95%	gr	10
480	25561-30-2	N,O-Bis(trimethylsilyl)trifluoroacetamide with trimethylchlorosilan	ml	20
481	2645-08-1	N-α-Benzoyl-L-arginine ethyl ester hydrochloride trypsin substrate	gr	20
482	616-91-1	N-Acetyl-L-cysteine BioXtra, ≥99% (TLC)	gr	20
483	6104-71-8	N-Desmethyloclozapine	mg	10
484	69227-93-6	n-Dodecyl β-D-maltoside ≥98% (GC)	mg	1.000
485	6066-82-6	N-Hydroxysuccinimide 98%	gr	10
486	6384-92-5	N-Methyl D-Aspartic ≥98%	mg	200

LOTTO 1 - PRODOTTI CHIMICI

ID	CAS number	Descrizione prodotto	Unità di misura (UM)	Quantità stimata biennio
487	598-52-7	N-Methylthiourea 97%	gr	50
488	68-12-2	N,N dimethylformamide anhydrous 99.8%	L	2
489	68-12-2	N,N-Dimethylformamide puriss. ≥99.8% ACS reagent	L	20
490	100-22-1	N,N,N',N'-Tetrametil-1,4-fenilendiamina 99% powder	gr	10
491	103-85-5	N-phenylthiourea, ≥98%	gr	20
492	52299-14-6	N-Succinyl-Ala-Ala-Ala-p-nitroanilide	mg	200
493	2440-62-2	N-Succinyl-L-phenylalanine-p-nitroanilide, protease substrate	gr	2
494	606-68-8	NADH ≥97% (HPLC)	mg	5.000
495	2646-71-1	NADPH, ≥93% (HPLC) (anhydrous)	mg	100
496	91-20-3	Naphthalene 99%	gr	50
497	118876-58-7	NBQX disodium salt hydrate ≥98% (HPLC)	mg	10
498	7697-37-2	Nitric acid puriss. for determinations with dithizone, ≥65%	L	12
499	18133-22-7	Netropsin dihydrochloride from Streptomyces netropsis, ≥98%	mg	10
500	3625-57-8	Nile blue A gr.10 Acros	gr	20
501	7385-67-3	Nile Red for microscopy	mg	200
502	31430-18-9	Nocodazole ≥99% (TLC), powder	mg	4
503	84852-15-3	Nonylphenol PESTANAL® analytical standard technical mixture	gr	2
504	25038-54-4	Nylon 6 pellets	gr	50
505	911-77-3	No-Benzoyl-DL-arginine 4-nitroanilide hydrochloride ≥98%	gr	2
506	6723-30-4	O-(Tetrahydro-2H-pyran-2-yl)hydroxylamine 96%	gr	2
507	1086062-66-9	Ompalisib (GSK2126458, GSK458)	mg	10
508	103639-04-9	Ondansetron Hydrochloride, Pharmaceutical Secondary Standar	gr	2
509	26095-59-0	Otilonio bromuro ≥98% (HPLC)	mg	50
510	1173-88-2	Oxacillin sodium salt 815-950 µg/mg (Oxacillin)	gr	2
511	123-11-5	p-Anisaldehyde 98%	gr	200
512	830-03-5	p-Nitrophenyl acetate	gr	10
513	2492-87-7	p-Nitrophenyl-β-D-glucopyranoside, ≥98% (TLC)	gr	2
514	33069-62-4	Paclitaxel from Taxus brevifolia ≥95% (HPLC) powder	mg	2
515	7647-10-1	Palladium (II) chloride ReagentPlus®, 99%	gr	2
516	57-10-3	Palmitic acid ≥99%	gr	100
517	8002-74-2	Paraffin	kg	2
518	8012-95-1	Paraffin oil, for IR spectroscopy	L	2
519	30525-89-4	Paraformaldehyde 1 kg EMPROVE® ESSENTIAL DAC	kg	2
520	123-63-7	Paraldehyde ≥97.0% (GC)	L	2
521	874-60-2	para-toluoylchloride 98%	gr	10
522	53-43-0	PDH, Dehydroepiandrosterone, powder	gr	2
523	9000-69-5	Pectin from citrus peel, Galacturonic acid ≥74.0 % (dried basis)	gr	200
524	30827-99-7	Pefabloc® SC analytical standard	mg	200
525	25322-68-3	PEG average mol wt 400	kg	2
526	25322-68-3	PEG average mol wt 8.000 for molecular biology	kg	2
527	25322-68-3	PEG average Mn 6.000	kg	2
528	113-98-4	Penicillin G potassium salt, ~1600 U/mg	MU	200
529	132-98-9	Penicillin V potassium salt, 99%	gr	200
530	4792-15-8	Pentaethylene glycol	gr	10
531	26305-03-3	Pepstatin ≥90%	mg	20
532	157716-52-4	Perifosine ≥98% (HPLC)	mg	20
533	7601-90-3	Perchloric acid 0.1 mol/l (0.1 N) in anhydrous acetic acid	L	46
534	101316-46-5	Petroleum ether puriss., ACS reagent low boiling point hydrogen treated na	L	1.000
535	70323-44-3	Pertussis toxin from Bordetella pertussis lyophilized powder	ug	100
536	929895-45-4	PhenDC3 ≥97% (HPLC)	mg	10
537	136112-00-0	Phenol – chloroform – isoamyl alcohol mixture for molecular biology, 25:24	L	2
538	108-95-2	Phenol equilibrated molecular	ml	200
539	103-71-9	Phenyl isocyanate 98+%	gr	10
540	329-98-6	Phenylmethanesulfonyl fluoride ≥99.0%	gr	20
541	635-51-8	Phenylsuccinic acid	gr	200
542	57-41-0	Phenytol European Pharmacopoeia (EP) Reference Standard	mg	240
543	108-73-6	Phloroglucinol >=99% HPLC	gr	50
544	7664-38-2	Phosphoric acid 10%	L	2
545	7664-38-2	Phosphoric acid puriss., ≥85% ACS reagent	L	20
546	88-89-1	Picric acid solution 1.3% in H2O (saturated)	gaL	2
547	110-85-0	Piperazine reagent plus 99%	gr	200
548	94-62-2	Piperine, 98%	gr	10
549	16561-29-8	PMA for use in molecular biology applications, ≥99% (HPLC)	mg	2
550	25249-16-5	Poly(2-hydroxyethyl methacrylate) for cell culture	gr	50
551	36890-68-3	Polycaprolactone diol average Mn ~2.000	gr	1.000
552	27378-49-0	Poly-L-ornithine solution mol wt 30.000-70.000, 0.01%, sterile-filtered	ml	100
553	9002-89-5	Polyvinyl alcohol Mowiol® 4-88, Mw ~31.000	gr	100
554	6226-79-5	Ponceau S solution for electrophoresis	L	4
555	127-08-2	Potassium acetate BioXtra, ≥99.0%	gr	1.000
556	7646-93-7	Potassium bisulfate, reagent grade	kg	2
557	7758-02-3	Potassium bromide analar NORMAPUR per analisi	kg	6
558	584-08-7	Potassium carbonate for analysis EMSURE® ACS, ISO, Reag. Ph Eur	kg	2
559	584-08-7	Potassium carbonate ACS reagent, ≥99.0%	kg	6
560	7447-40-7	Potassium chloride 99.0-100.5% ACS reagent	kg	8
561	7778-50-9	Potassium dichromate ACS reagent, ≥99.0%	gr	200
562	590-29-4	Potassium formate, ReagentPlus®, 99%	gr	50
563	1310-58-3	Potassium hydroxide POWDER, ≥85%	kg	2
564	1310-58-3	Potassium hydroxide pellets	kg	2
565	7681-11-0	Potassium iodide 99.5%	gr	500
566	7757-79-1	Potassium nitrate ≥98%, GPR RECTAPUR®	kg	2
567	7722-64-7	Potassium permanganate 0.2 mol/l (1 N) in soluzione acquosa	L	10
568	16788-57-1	Potassium phosphate, dibasic, trihydrate x 3H2O ≥99 %	kg	2
569	7758-11-4	Potassium phosphate dibasic ACS reagent	kg	2
570	7778-77-0	Potassium phosphate monobasic anhydrous ACS reagent	kg	6
571	7778-77-0	Potassium phosphate monobasic for cell culture	kg	2
572	24634-61-5	Potassium sorbate, purissimo, Pharmapur®, Ph Eur, BP, NF	kg	2
573	7790-58-1	Potassium tellurite hydrate, ≥95.0% (calc. on dry substance, RT)	gr	20
574	125-33-7	Primidone	gr	10
575	41743-41-3	Procyanidin A2	mg	20
576	29106-49-8	Procyanidin B2	mg	2
577	57-83-9	Progesterone ≥97.0%	gr	50
578	9036-06-0	pronase e (from streptomyces griseus) 4,000,000 PU/g for biochemistry	gr	2
579	106-96-7	Propargyl bromide solution (80 wt % in toluene)	gr	50
580	2450-71-7	Propargylamine 98%	gr	10
581	25535-16-4	Propidium iodide ≥94.0% (HPLC)	mg	200
582	1085412-37-8	Pyridostatin trifluoroacetate Salt, ≥98% (HPLC)	mg	10
583	9001-59-6	Pyruvate Kinase from rabbit muscle; Type II, ammonium sulfate suspension	U	10.000
584	849061-97-8	Quercetin hydrate	gr	50
585	6591-63-5	Quinidine sulfate salt dihydrate	gr	40
586	207671-44-1	Quinine hemisulfate salt monohydrate 99%	gr	50
587	161735-79-1	Rasagiline mesylate 10MG ≥98% (HPLC)	mg	20
588	13573-17-6	Reinecke salt, ACS reagent	gr	50
589	501-36-0	Resveratrol	mg	200
590	989-38-8	Rhodamine 6G Chloride, Dye content ~95 %	gr	50
591	9001-99-4	Ribonuclease A from bovine pancreas, Type III-A, ≥85% RNase A	mg	100
592	1138549-36-6	RNA Polymerase I Inhibitor I	mg	20
593	7791-11-9	Rubidium chloride ReagentPlus®, ≥99.0% (metals basis)	gr	20
594	22161-81-5	S-(+)-Ketoprofen 99%	gr	2
595	86867-01-8	S-(5'-Adenosyl)-L-methionine chloride (dihydrochloride) ≥75%	mg	50
596	82385-42-0	Saccharin sodium hydrate, ≥98.0% (titration)	gr	1.000
597	69-72-7	Salicylic acid ACS reagent, ≥99.0%	gr	200
598	14808-60-7	Sand, 50-70 mesh particle size	kg	2
599	563-41-7	Semicarbazide Hydrochloride	gr	10
600	106516-24-9	Sertindole ≥97.5% (HPLC)	mg	20
601	112926-00-8	Silica gel high-purity grade (9385), pore size 60 Å	kg	10
602	7631-86-9	Silica gel 60 (0.063-0.200 mm) for column chromatography	gr	1.000
603	7761-88-8	Silver nitrate ACS reagent, ≥99.0%	kg	2
604	8006-28-8	Soda lime, with indicator	kg	2
605	1266615-56-8	Sodium 2,6-dichloroindophenolate hydrate	gr	40
606	6018-19-5	Sodium 4-aminosalicylate dihydrate ≥97.0%	gr	100
607	6131-90-4	Sodium acetate trihydrate ≥99.0%	kg	2
608	10048-95-0	Sodium arsenate dibasic heptahydrate, ≥98.0%	gr	200
609	134-03-2	Sodium ascorbate crystalline, ≥98%	gr	200
610	26628-22-8	Sodium azide BioXtra	gr	50
611	532-32-1	Sodium benzoate ERBApharm-Secondo farmacopea	kg	2
612	144-55-8	Sodium bicarbonate puriss., ≥99.7% ACS reagent	kg	10
613	16940-66-2	Sodium borohydride powder, ≥98.0%	gr	80
614	497-19-8	Sodium carbonate ACS reagent, anhydrous, ≥99.5%, powder or granules	kg	4
615	9004-32-4	Sodium carboxymethyl cellulose average Mw ~250.000, degree of substitut	gr	200
616	7647-14-5	Sodium chloride BioXtra, ≥99.5%	kg	10
617	7647-14-5	Sodium chloride ≥99.0% ACS reagent	kg	26
618	7647-14-5	Sodium chloride ≥99.0% for cell culture	kg	4
619	6132-04-3	Sodium citrate tribasic dihydrate E ACS reagent, ≥99.0%	gr	50
620	151-21-3	Sodium dodecyl sulfate, BioReagent ≥98.5% (GC)	kg	2
621	1310-73-2	Sodium hydroxide concentrate for dilution to 0.1 mol in soluzione acquosa	ml	1.200
622	1310-73-2	Sodium hydroxide concentrate for dilution to 0.5 mol in soluzione acquosa	ml	2.100
623	1310-73-2	Sodium hydroxide solution, 1 N (1.0M)	L	16
624	1310-73-2	Sodium hydroxide solution, 0.1 M	L	2
625	1310-73-2	Sodium hydroxide puriss., ≥98% ACS reagent pellets	kg	10
626	7681-52-9	Sodium hypochlorite, 14%	gr	1.000
627	7681-82-5	Sodium iodide ACS reagent, ≥99.5%	kg	2
628	7784-46-5	Sodium m-arsenite minimum ≥90%	gr	200
629	124-41-4	Sodium Methoxide ACS reagent, in methanol (0.5N)	L	8
630	124-41-4	Sodium Methoxide reagent grade, 95%	gr	1.000
631	13755-38-9	Sodium nitroprusside dihydrate, ACS reagent, ≥99%	gr	50
632	7790-28-5	Sodium periodate ≥99.0%	gr	200
633	7558-79-4	Sodium phosphate dibasic ≥99.0%	kg	2
634	7782-85-6	Sodium phosphate dibasic heptahydrate ACS reagent	gr	1.000
635	7558-80-7	Sodium phosphate monobasic ≥99.0%	kg	4
636	13472-35-0	Sodium phosphate monobasic dihydrate ACS reagent, ≥98%	kg	2
637	10049-21-5	Sodium phosphate monobasic monohydrate puriss. ACS reagent, ≥99.0% (T	gr	500
638	13472-36-1	Sodium pyrophosphate tetrabasic decahydrate, BioXtra, 99.0-103.0%	gr	200
639	113-24-6	Sodium pyruvate reagent plus ≥99%	gr	200
640	54-21-7	Sodium salicylate puriss. 99.5-101.0%	kg	2
641	10102-18-8	Sodium selenite 99%	gr	200
642	6106-21-4	Sodium succinate dibasic hexahydrateE, ReagentPlus® ≥99%	gr	200
643	7757-82-6	Sodium sulfate anhydrous granular ≥99.0% ACS reagent	kg	20
644	7727-73-3	Sodium sulfate decahydrate ACS reagent	gr	100
645	1303-96-4	Sodium tetraborate decahydrate RPE	kg	2
646	10102-17-7	Sodium thiosulfate pentahydrate 1 mol/l (1N)-RPE	ml	3.000
647	10102-17-7	Sodium thiosulfate pentahydrate - RPE	kg	4

LOTTO 1 - PRODOTTI CHIMICI

ID	CAS number	Descrizione prodotto	Unità di misura (UM)	Quantità stimata biennio
648	7772-98-7	Sodium thiosulfate 1 mol/l (1 N) soluzione volumetrica AVS titrinorm	L	2
649	7758-29-4	Sodium triphosphate pentabasic ≥98.0%	gr	1.000
650	1138-39-2	Span® 20	L	2
651	1138-41-6	Span® 60	gr	500
652	1138-43-8	Span® 80	ml	500
653	8008-79-5	Spearmint oil, rectified, FCC, FG	kg	2
654	71-44-3	Spermine 97%	gr	2
655	146670-40-8	SR11237, ≥98% (HPLC)	mg	20
656	91053-39-3	Standard Super Cel® fine	gr	1.000
657	17660-51-4	Stearic-d35 acid, 99%	mg	500
658	18883-66-4	Streptozotocin mixed anomers, ≥75% α-anomer basis, ≥98% (HPLC), powder	mg	1.000
659	57-67-0	Sulfaguandine	gr	200
660	1196157-90-0	Sulfamethoxazole-(phenyl-13C6)	mg	20
661	723-46-6	Sulfamethoxazole, analytical standard	gr	1.000
662	63-74-1	Sulfanilamide VETRANAL®, analytical standard	gr	500
663	121-57-3	Sulfanilic acid ACS reagent 99%	gr	200
664	9016-17-5	Sulfatase from Helix pomatia Type H-2, aqueous solution, ≥2,000 units/mL	ml	10
665	72-14-0	Sulfathiazole, 99%	gr	1.000
666	3520-42-1	Sulforhodamine B sodium salt for cell culture	gr	2
667	7704-34-9	Sulfur ≥99%	kg	2
668	7664-93-9	Sulfuric acid 0,05 mol/l (0,1N)-RPE- fiala normex	ampolla	10
669	7664-93-9	Sulfuric acid 95,0-98,0% ACS reagent	L	30
670	110-18-9	TEMED for molecular biology, ≥99% (GC)	ml	200
671	85622-93-1	Temozolomide - Pharmaceutical Secondary Standard; Certified Reference	gr	2
672	83-67-0	Teobromina ≥98.0%	gr	50
673	56-34-8	TETRAETHYLAMMONIUM CHLORIDE BIOULTRA, FO	gr	50
674	58-55-9	THEOPHYLLINE, anhydrous, ≥99%, powder	gr	500
675	5381-20-4	THIANAPHTHENE-3-CARBOXALDEHYDE, 95%	gr	2
676	18162-48-6	tert-Butyldimethylsilyl chloride, reagent grade, 97%	gr	50
677	2088-71-3	Testosterone 17-benzoate	mg	20
678	58-22-0	Testosterone purum, ≥99.0% (HPLC)	gr	2
679	64-75-5	Tetracycline hydrochloride ≥95%	gr	50
680	109-99-9	Tetrahydrofuran anhydrous anhydrous, ≥99.9%, inhibitor-free	ml	1.000
681	109-99-9	Tetrahydrofuran contains 250 ppm BHT as inhibitor, puriss. ≥99.9% ACS reagent	L	14
682	1719-71-7	Tetrazolium Violet	gr	2
683	10102-45-1	Thallium nitrate 99.9% trace metals basis	gr	50
684	298-93-1	Thiazolyl Blue Tetrazolium Bromide, 98%	gr	8
685	504-17-6	Thiobarbituric acid, analytical grade	gr	200
686	79-19-6	Thiosemicarbazide 98%	gr	50
687	9002-04-4	Thrombin from bovine plasma, lyophilized powder, 40-300 NIH units/mg protein	KU	2
688	7772-99-8	Tin(II) chloride reagent grade, 98%	gr	200
689	7646-78-8	TIN(IV) chloride 98%	gr	500
690	540737-29-9	Tofactinib citrate ≥98%	mg	100
691	108-88-3	Toluene puriss. ≥99.7% ACS reagent	L	140
692	14193-38-5	trans-4,5-Dihydroxy-1,2-dithiane, ≥99%	gr	10
693	51-35-4	trans-4-Hydroxy-L-proline 99%	gr	5
694	25332-39-2	Trazodone hydrochloride ≥99% (HPLC), powder	gr	10
695	688-74-4	Tributyl borate >=99%	ml	1.000
696	99-14-9	Tricarballylic acid 98%	gr	50
697	76-03-9	Trichloroacetic acid ACS reagent, ≥99.0%	gr	1.000
698	5704-04-1	Tricine anhydrous, free-flowing, Redi-Dri™, ≥99%	gr	200
699	1389475	Tricine ≥99% (titration)	gr	500
700	121-44-8	Triethylamine 99.5%	ml	1.000
701	617-86-7	Triethylsilane 99%	gr	50
702	76-05-1	Trifluoroacetic acid for HPLC, ≥99.0%	ml	200
703	122-32-7	Triolein, European Pharmacopoeia (EP) Reference Standard	mg	60
704	14221-01-3	Triphenylphosphine	gr	200
705	2646-71-1	Triphosphopyridine nucleotide reduced tetrasodium salt ≥93% (HPLC)	mg	100
706	38748-32-2	Triptolide, from Tripterygium wilfordii, ≥98% (HPLC), solid	mg	2
707	51805-45-9	Tris(2-carboxyethyl)phosphine hydrochloride, BioUltra, ≥98%	gr	2
708	77-86-1	Tris(hydroxymethyl)aminomethane ACS reagent, ≥99.8%	Kg	14
709	9002-93-1	TRITON 100-x BioXtra	ml	200
710	77-86-1	Trizma®base for cell culture	kg	20
711	1185-53-1	Trizma® hydrochloride, reagent grade, ≥99.0%	gr	500
712	72200-76-1	Trizma® maleate	gr	500
713	9035-81-8	Trypsin Inhibitor from glycine powder, BioReagent, suitable for cell culture	mg	50
714	9002-07-7	Trypsin from bovine pancreas, TPCK Treated, essentially salt-free	mg	200
715	11089-65-9	Tunicamycin from a streptomyces species	mg	2
716	9005-64-5	TWEEN® 20	L	2
717	9005-64-5	TWEEN® 20 for molecular biology, viscous liquid	ml	400
718	9002-10-2	Tyrosinase lyophilized powder, ≥1000 unit/mg solid	KU	100
719	112-38-9	Undecylenic acid 98%	ml	2.000
720	66-22-8	Uracil ≥99.0%	gr	10
721	57-13-6	UREA 99.0-100.5% ACS reagent	kg	6
722	58-96-8	Uridine 99%	gr	50
723	99-66-1	Valproic acid, Pharmaceutical Secondary Standard; Certified Reference Material	gr	2
724	121-34-6	Vallinic acid	gr	20
725	123-20-6	Vinyl Butyrate 25 ml ≥99.0% (GC)	ml	200
726	209410-46-8	VX-745 5MG, ≥98% (HPLC)	mg	10
727	7732-18-5	Water HPLC Plus	L	80
728	1330-20-7	Xylenes ACS reagent, ≥98.5%	ml	1.000
729	1330-20-7	Xylenes, histological grade	ml	1.000
730	7646-85-7	Zinc chloride BioReagent, for molecular biology, suitable for cell culture	gr	100
731	9004-07-3	α-Chymotrypsin from bovine pancreas	mg	500
732	9004-07-3	α-Chymotrypsin type I	mg	200
733	9001-42-7	α-Glucosidase from Saccharomyces cerevisiae	U	200
734	618-36-0	α-Methylbenzylamine, 99%	ml	1.000
735	7235-40-7	β-Carotene ≥97.0%	mg	20
736	9001-45-0	β-Glucuronidase from Helix pomatia Type HP-2, aqueous solution, ≥100,000 units/mg	ml	2
737	53-84-9	β-Nicotinamide adenine dinucleotide hydrate ≥96.5% (HPLC)	gr	2
738	24292-60-2	β-Nicotinamide adenine dinucleotide phosphate disodium salt, ≥97%	mg	100
739	20111-18-6	β-Nicotinamide adenine dinucleotide sodium salt	gr	2
740	9031-11-2	β-galattosidasi di E. coli	KU	2
741	13408-09-8	β-Glycerophosphate disodium salt pentahydrate ≥98.0% (NT)	gr	200
742	60-24-2	β-Mercaptoetanolo for molecular biology ≥99.0%	ml	50
743	2152-44-5	β-methasone 17-valerate VETRANAL™, analytical standard	mg	500
744	17465-86-0	γ-Cyclodextrin, ≥98%	gr	2